Code No: 21BA1T5

I MBA - I Semester Regular Examinations, APRIL -2022

QUANTITATIVE ANALYSIS FOR BUSINESS DECISION

Duration: 3 Hours Max. Marks: 70

Note: 1. This question paper contains three Parts-A, Part-B and Part-C.

- 2. Part-A contains 8 short answer questions. Answer any <u>Five</u> Questions. Each Question carries 2 Marks.
- 3. Part-B contains 5 essay questions with an internal choice from each unit. Each Question carries 10 marks.
- 4. Part-C contains one Case Study for 10 Marks.
- 5. All parts of Question paper must be answered in one place

PART - A

 $5 \times 2 = 10 \text{ M}$

- 1. a) What are the objectives of measuring dispersion of a frequency distribution?
 - b) Recall the concepts of probability.
 - c) Outline the differences between small sample tests and large sample tests.
 - d) Recall the guidelines for formulation of LPP.
 - e) Deduct assignment problem and its characteristics.
 - f) What are the measures of dispersion.
 - g) Infer different small tests.
 - h) Build mixed strategy games.

PART-B

 $5 \times 10 = 50 \text{ M}$

UNIT - I

2. Estimate arithmetic mean and median of the frequency 10 M distribution given below. Hence calculate the mode using the empirical relation between the three:

Height (in cms)	No. of students
130-134	5
135-139	15
140-144	28
145-149	24
150-154	17
155-159	10
160-164	1

OR

- 3. a) What is correlation? Explain the significance of correlation.
- 5 M

5 M

b) Find Karl Pearson's coefficient of correlation from the following data.

36 39 | 65 | 62 | 90 | 82 75 25 98 X 78 Y 53 91 51 47 58 86 62 68 60 84

<u>UNIT – II</u>

4. What are the different types of distributions? Explain the properties.

OR

5. The following table shows the distribution of number of faculty units produced in a single shift in a factory. The

data is for 400 shifts.

No. of faculty	0	1	2	3	4
No. of shifts	138	161	69	27	5

Formulate a poisson distribution to the data.

UNIT-III

6. What is a hypothesis? Explain the types of hypothesis used in research.

10 M

10 M

OR

7. In a large city A, 20% of the random sample of 1000 school children had defective eye sight. In another large city B, 15% of a random sample of 2000 children had the same defect. Is this difference between two proportions significant? Determine 95% confidence limits for the difference in the population proportions.

UNIT – IV

8. Use the Graphical method to solve the following LP 10 M problem and interpret.

Minimize
$$Z = -X_1 + 2X_2$$

Subject to the constraints $-X_1 + 3X_2 \le 10$
 $X_1 + X_2 \le 6$
 $X_1 - X_2 \le 2$ and $X_1, X_2 \ge 0$
OR

9. Explain the steps in simplex method. 10 M

UNIT - V

10. Find an optimum solution to the following transportation 10 M problem.

Source/ Destination	D 1	D2	D3	D4	Available
S1	3	7	6	4	50
S2	2	4	3	2	20
S3	4	3	8	5	30
Demand	30	30	20	20	

OR

11. Solve the following assignment problem by Enumeration 10 M method.

Time (in minutes)						
Worker	Job 2	Job 3				
A	4	2	7			
В	B 8 5		3			
С	4	5	6			

PART -C

10 M

CASE STUDY

12. Estimate rank correlation between X and Y

X										
Y	62	58	68	45	81	60	68	48	50	70